



Section 11

SURFACE CONTACT THERMOSTAT

CAMPINI

HOT WATER THERMOSTATS

CAMPINI, IMIT

CAPILLARY & BULB THERMOSTATS

CAMPINI

FAN LIMIT THERMOSTATS

HONEYWELL, WHITE-RODGERS


PROGRAMABLE THERMOSTATS

CAMPINI, ELIWELL, WHITE-RODGERS

THERMOMETERS

AKO

SURFACE CONTACT THERMOSTATS



Campini TY60 Control Thermostat

- Fixed set point
- Auto reset
- Bimetal
- Single pole
- Snap action contact
- Range 60 - 150°C

#CP0060, 60°C

#CP0080, 80°C

#CP0100, 100°C

#CP0121, 120°C

#CP0130, 130°C

#CP0150, 150°C



Campini TY60R Limit Thermostat

- Fixed set point
- Manual reset
- Bimetallic
- Single pole
- Snap action contact
- Range 45 - 130°C

#CP1045, 45°C

#CP1071, 70°C

#CP1090, 90°C

#CP1099, 100°C

#CP1030, 130°C



Campini TY53 Control Thermostat

- Adjustable 6 - 135°C
- Auto reset
- Single pole
- Snap action

#CP2553

HOT WATER THERMOSTATS



Campini TS53 Contact Thermostat

- Adjustable 6 - 90°C
- Auto reset
- 120mm adjustable spring band
- 3/4" minimum pipe diameter
- 4" maximum pipe diameter
- SPDT contacts

#CP4000531



Campini TS95 Immersion Thermostat

- Adjustable 6 - 90°C control
- Auto reset
- Complete with 1/2" bsp pocket
- SPDT contacts


#CP409310



Campini TS95H Immersion Thermostat

- Adjustable 6 - 90°C control, (Auto reset)
- Adjustable 90 - 110°C Hi limit (Manual reset)
- Complete with 1/2" bsp pocket
- SPDT contacts

#CP40943



IMIT TR2 Control Thermostat


- Adjustable 10 - 120°C
 - Auto reset
 - SPDT contacts
 - 1M capillary
- #IM0540160
 #IM056303, Dial 0 - 120°C
 #IM0556503, Bezel to suit

- Adjustable 10 - 90°C
 - Auto reset
 - SPDT contacts
 - 1.5M capillary
- #IM0540355
 #IM0556301, Dial 0 - 90°C
 #IM0556503, Bezel to suit




IMIT LS1 Limit Thermostat

- Adjustable 90 - 110°C
 - Manual reset
 - SPST contacts
 - 1M capillary
- #IM0541510



IMIT LSC1 Limit Thermostat

- Adjustable 40 - 60°C
 - Manual reset
 - Complete with 1/2" bsp pocket
 - SPST contact
- #IM0543071



Robertshaw ST12 Series Water Heating Thermostats

- Replaces Robertshaw WIM2 & EWTL2 Series
- 60-80°C Adjustable thermostat
- 88°C Over temperature cut off manual reset
- Cover available as optional extra

#RSST12 - 80KR
 #RSST - Cover

ROBERTSHAW THERMOSTATS



BJWA Oven Thermostat

- Range 90°C -290°C
- Outlet options
- Complete kit

RBJ0100



Commercial Gas Oven Thermostat

- Range 70°C -290°C
- Gas Operated
- For use in conjunction with Robertshaw BGORL Gas Control Valve

RGS4007




Commercial Gas Fryer Thermostat

- Range 95°C -205°C
- Gas Operated
- For use in conjunction with Robertshaw BGORL Gas Control Valve


RGS7005

CAPILLARY & BULB THERMOSTATS



Campini TY95 Thermostats

- Fryer control thermostat
- Adjustable 95 - 205°C
 - Auto reset
- #CP40100




Fryer Over Temperature Thermostat

- Set at 235°C
 - Manual reset
 - SPST contact
- #CP40110



Oven Control Thermostat

- Adjustable 10 - 320°C
 - Auto reset
 - Complete with dial & bezel
- #CP40108



Robertshaw Electric Fryer Thermostat (Auto reset)

- Set point 232°C
- Millivolt operated
- Auto reset
- Gold contacts

#RLCCM0017



Robertshaw Electric Fryer Over Temperature Thermostat (Manual reset)

- Set point 235°C
 - Manual Reset
- #RLCH0025


FAN LIMIT THERMOSTATS



White-Rodgers Fan & Limit Thermostat

- Adjustable 10 - 129°C control (Auto reset)
- Adjustable 38 - 149°C hi limit (Manual reset)
- 125mm probe
- SPDT contacts

#W0030



Honeywell L4064N Fan & Limit Thermostat

- 50°C fan off control (auto reset)
- 93°C hi limit (manual reset)
- 290mm probe
- Fan switch makes & hi limit breaks on temperature rise
- Swivel fitting

#W0031

PROGRAMMABLE THERMOSTATS



Eliwell ERWC Series

- Temperature & Humidity Controller
- Protection rating IP67
- 5 Relay Outputs
- 3 NTC Analogue inputs
- 2 Configurable digital inputs
- Real Time Clock
- 8-Key user interface (for navigation & direct functions)
- Double LCD display
- Buzzer
- Direct control of compressors (up to 2hp)
- On board RS-485 serial interface (for TelevisSystem and MODBUS)
- Switching power supply 90...240V
- Dimensions 21 x 24 x 8 cm

Wall mounted or recessed electrical box

#RSELERWC



Eliwell IC Series Range 5 - 35OC

- Temperature controller (single stage)
- Range -50°C to +99°C
- Accuracy + / - 1°C
- Output relay (8 Amp)
- Sensor type PTC (NTC selectable)
- TTL input for copy card
- Dimensions 74 x 32 x 60 mm
- Available supply voltages: 12 volt AC / volt DC or 230 volt AC

#ELIC901

Other configurations available upon request



White-Rodgers BLUE 90 Series

- Programmable thermostat
- Heat & Cool
- Touch screen
- Screen backlight
- Audible prompting
- Screen lockout feature
- Accurate temperature maintenance to +/- 1°C of set point
- Programmable 7, 5/1/1, individual days or use as simple on / off operation
- Dimensions 117 x 30.5 x 150 mm

#W00172BLU



Campini HTX

- Single set point
- Range 0 - 450°C
- Alarm output
- "J" type thermocouple supplied
- 1.5M thermocouple cable
- #CP3135

A range of programmable room thermostats are also available. Please contact SCE for further information

WALL THERMOSTAT



Campini TY2 Room Thermostat

- Range 5 - 35°C
- 24 or 240 volt AC
- On / Off switch
- SPST contact

#CP40903